

Package: RColorConesa (via r-universe)

October 31, 2024

Title Conesa Colors Palette

Version 1.0.0

Maintainer Pedro Salguero Garcia <pedrosalguerog@gmail.com>

Description Provides a collection of palettes designed to integrate with 'ggplot', reflecting the color schemes associated with 'ConesaLab'.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.2.3

Imports ggplot2

Suggests testthat (>= 3.0.0)

Config/testthat/edition 3

NeedsCompilation no

Author Pedro Salguero Garcia [aut, cre]
(<<https://orcid.org/0000-0002-1879-3374>>)

Date/Publication 2023-09-12 20:30:09 UTC

Repository <https://psalguerog.r-universe.dev>

RemoteUrl <https://github.com/cran/RColorConesa>

RemoteRef HEAD

RemoteSha f80589e3498549b289e5d3540219f4fa30f884d8

Contents

colorConesa	2
conesa_cols	3
conesa_pal	3
conesa_palettes	4
getConesaColors	4
getConesaPalettes	5
scale_color_conesa	6
scale_fill_conesa	7

`colorConesa`*Retrieve Colors from ConesaLab's Palettes*

Description

The `colorConesa` function facilitates the extraction of a specified number of colors from the ConesaLab's curated color palettes. This function is designed to obtain a set of colors for their scientific visualizations.

Usage

```
colorConesa(n, reverse = FALSE, palette = "complete")
```

Arguments

<code>n</code>	An integer specifying the number of colors to be extracted from the chosen palette.
<code>reverse</code>	A logical value indicating whether the colors in the selected palette should be reversed (Default: FALSE).
<code>palette</code>	A character string specifying the name of the desired palette from the <code>conesa_palettes</code> . Available options include: "main", "nature", "sunshine", "hot", "warm", "cold", and "complete" (Default: "complete").

Details

ConesaLab's color palettes, available within the package, are tailored for scientific data visualization. The `colorConesa` function is built upon these palettes, offering flexibility in color selection based on the user's requirements. It integrates with the `palette` argument to choose the color thematic.

It's essential to note that if the requested number of colors (`n`) is less than or equal to the size of the chosen palette, the function will directly extract the colors without interpolation. However, if `n` surpasses the palette size, interpolation is employed to generate the required colors.

Value

A character vector of colors corresponding to the specified number and palette.

Author(s)

Pedro Salguero Garcia. Maintainer: pedsalga@upv.edu.es

Examples

```
library(ggplot2)
data("iris")
colorSpecies <- colorConesa(3, palette = "cold")
plot(x = iris$Sepal.Length, y = iris$Sepal.Width, col = colorSpecies[iris$Species], pch = 16)
```

conesa_cols	<i>Function to extract conesa colors as hex codes</i>
-------------	---

Description

Function to extract conesa colors as hex codes

Usage

```
conesa_cols(...)
```

Arguments

... Character names of conesa_colors

conesa_pal	<i>Interpolate a Conesa Color Palette</i>
------------	---

Description

The `conesa_pal` function offers a flexible way to interpolate colors from the Conesa color palettes. This function provides an interface to generate a range of colors based on the selected Conesa palette, allowing for enhanced customization in scientific visualizations.

Usage

```
conesa_pal(palette = "main", reverse = FALSE, ...)
```

Arguments

palette	A character string specifying the name of the desired palette from the <code>conesa_palettes</code> . Available options include: "main", "nature", "sunshine", "hot", "warm", "cold", and "complete".
reverse	A logical value indicating whether the colors in the selected palette should be reversed. Default is FALSE.
...	Additional arguments to be passed to the <code>colorRampPalette</code> function from the <code>grDevices</code> package.

Details

The Conesa color palettes, available in the RColorConesa package, have been specifically curated for scientific visualizations. The `conesa_pal` function leverages the `colorRampPalette` function from the `grDevices` package to interpolate between the colors of the chosen Conesa palette. This interpolation capability ensures that users can generate a continuous range of colors, suitable for representing a wide variety of data types and scales. Whether visualizing continuous data gradients or categorical distinctions, the interpolated Conesa palettes can provide clarity and aesthetic appeal to the visual representation.

Author(s)

Pedro Salguero Garcia. Maintainer: pedsalga@upv.edu.es

<code>conesa_palettes</code>	<i>Conesa color palette</i>
------------------------------	-----------------------------

Description

Conesa color palette

Usage

```
conesa_palettes
```

Format

An object of class `list` of length 7.

<code>getConesaColors</code>	<i>Retrieve Conesa's Main Color Set</i>
------------------------------	---

Description

The `getConesaColors` function provides access to a curated set of colors that are part of the RColorConesa package. These colors have been specifically chosen for their utility in scientific visualizations.

Usage

```
getConesaColors()
```

Details

When using the `getConesaColors` function, users can seamlessly integrate these colors into their R visualizations, benefiting from the expertise embedded in the Conesa color selection.

Value

A list containing the primary colors from the Conesa collection. Each color in the list is represented as a hexadecimal color value.

Author(s)

Pedro Salguero Garcia. Maintainer: pedsalga@upv.edu.es

Examples

```
getConesaColors()
```

`getConesaPalettes` *Return Conesa Color Palettes*

Description

The `getConesaPalettes` function retrieves a collection of color palettes, specifically designed for scientific visualizations. These palettes are part of the Conesa collection.

Usage

```
getConesaPalettes()
```

Details

By using the `getConesaPalettes` function, users can access these palettes and incorporate them into their visualizations, ensuring that their plots and graphs are both informative and visually appealing.

Value

A list containing the various color palettes from the Conesa collection. Each palette in the list is represented as a vector of color values.

Author(s)

Pedro Salguero Garcia. Maintainer: pedsalga@upv.edu.es

Examples

```
getConesaPalettes()
```

scale_color_conesa *Color scale constructor for conesa colors*

Description

The `scale_color_conesa` function provides a mechanism to integrate ConesaLab's curated color palettes into ggplot2 visualizations.

Usage

```
scale_color_conesa(palette = "main", continuous = FALSE, reverse = FALSE, ...)
```

Arguments

palette	A character string specifying the name of the desired palette from the <code>conesa_palettes</code> . Available options include: "main", "nature", "sunshine", "hot", "warm", "cold", and "complete" (Default: "main").
continuous	A logical value indicating whether the color aesthetic represents continuous data (Default: FALSE).
reverse	A logical value indicating whether the colors in the selected palette should be reversed (Default: FALSE).
...	Additional arguments passed either to <code>discrete_scale</code> or <code>scale_color_gradientn</code> from the ggplot2 package, depending on the value of the continuous parameter.

Details

The `scale_color_conesa` function acts as a bridge between these palettes and the ggplot2 package, allowing users to apply the palettes to their plots. Depending on the nature of the data (continuous or discrete), the function intelligently selects the appropriate scale from ggplot2 to render the colors.

When the `continuous` parameter is set to TRUE, the function employs the `scale_color_gradientn` function from ggplot2 to generate a continuous color scale. Conversely, for discrete data, the `discrete_scale` function is utilized. This ensures that the chosen palette is optimally represented in the plot, irrespective of the data type.

Value

A ggplot2 scale function suitable for adding to a ggplot2 object.

Author(s)

Pedro Salguero Garcia. Maintainer: pedsalga@upv.edu.es

Examples

```
library(ggplot2)
data("iris")
g <- ggplot(iris, aes(Sepal.Width, Sepal.Length, color = Species))
g <- g + geom_point(size = 4)
g <- g + scale_color_conesa(palette = "main")
```

scale_fill_conesa *Fill scale constructor for conesa colors*

Description

The `scale_fill_conesa` function provides a mechanism to integrate ConesaLab's curated color palettes into ggplot2 visualizations.

Usage

```
scale_fill_conesa(palette = "main", continuous = FALSE, reverse = FALSE, ...)
```

Arguments

<code>palette</code>	A character string specifying the name of the desired palette from the <code>conesa_palettes</code> . Available options include: "main", "nature", "sunshine", "hot", "warm", "cold", and "complete" (Default: "main").
<code>continuous</code>	A logical value indicating whether the color aesthetic represents continuous data (Default: FALSE).
<code>reverse</code>	A logical value indicating whether the colors in the selected palette should be reversed (Default: FALSE).
<code>...</code>	Additional arguments passed either to <code>discrete_scale</code> or <code>scale_fill_gradientn</code> from the ggplot2 package, depending on the value of the <code>continuous</code> parameter.

Details

The `scale_fill_conesa` function acts as a bridge between these palettes and the ggplot2 package, allowing users to apply the palettes to their plots. Depending on the nature of the data (continuous or discrete), the function intelligently selects the appropriate scale from ggplot2 to render the colors.

When the `continuous` parameter is set to TRUE, the function employs the `scale_fill_gradientn` function from ggplot2 to generate a continuous color scale. Conversely, for discrete data, the `discrete_scale` function is utilized. This ensures that the chosen palette is optimally represented in the plot, irrespective of the data type.

Value

A ggplot2 scale function suitable for adding to a ggplot2 object.

Author(s)

Pedro Salguero Garcia. Maintainer: pedsalga@upv.edu.es

Examples

```
library(ggplot2)
data("iris")
g <- ggplot(iris, aes(x = Sepal.Width, fill = Species))
g <- g + geom_histogram(binwidth = 0.2, alpha = 0.8)
g <- g + labs(title = "Histogram of Sepal Width", x = "Sepal Width", y = "Frequency")
g <- g + scale_fill_conesa(palette = "main")
```


Index

* datasets

conesa_palettes, 4

colorConesa, 2

conesa_cols, 3

conesa_pal, 3

conesa_palettes, 4

getConesaColors, 4

getConesaPalettes, 5

scale_color_conesa, 6

scale_fill_conesa, 7